

## Biloxi Branch 1

OUTCOME MEASURES	Observed	Risk Adjusted	Rating
<u>Improvement in Ambulation/Locomotion</u>	Branch: 77.05% State: 59.29% Benchmarks Plus: 60.20%	Branch: 61.50% State: 76.83% Benchmarks Plus: 75.75%	★★★★★
<u>Improvement in Bed Transferring</u>	Branch: 61.02% State: 56.51% Benchmarks Plus: 56.42%	Branch: 64.22% State: 55.11% Benchmarks Plus: 53.22%	★★★★☆
<u>Improvement in Bathing</u>	Branch: 72.58% State: 66.32% Benchmarks Plus: 66.68%	Branch: 67.48% State: 70.35% Benchmarks Plus: 71.78%	★★★★☆
<u>Improvement in Pain Interfering with Activity</u>	Branch: 75.00% State: 59.25% Benchmarks Plus: 63.20%	Branch: 71.55% State: 63.35% Benchmarks Plus: 66.65%	★★★★★
<u>Improvement in Dyspnea (shortness of Breath)</u>	Branch: 66.67% State: 63.77% Benchmarks Plus: 65.99%	Branch: 61.84% State: 68.12% Benchmarks Plus: 70.82%	★★★★☆
<u>Improvement in Status of Surgical Wounds</u>	Branch: 84.21% State: 75.43% Benchmarks Plus: 76.94%	Branch: 87.30% State: 73.42% Benchmarks Plus: 73.85%	★★★★☆
<u>Improvement in Management of Oral Medications</u>	Branch: 60.00% State: 54.18% Benchmarks Plus: 50.73%	Branch: 53.59% State: 56.76% Benchmarks Plus: 57.14%	★★★★☆
<u>Emergency Department Use without Hospitalization</u>	Branch: 2.15% State: 3.57% Benchmarks Plus: 3.73%	- - -	★★★★☆
<u>Acute Care Hospitalization</u>	Branch: 32.26% State: 29.48% Benchmarks Plus: 25.41%	Branch: 27.09% State: 32.74% Benchmarks Plus: 30.58%	★★★☆☆

POTENTIALLY AVOIDABLE EVENTS	Observed	Risk Adjusted	Rating
<u>Emergent Care for Injury Caused by Fall</u>	Branch: 1.08% State: 1.29% Benchmarks Plus: 1.45%	Branch: 0.66% State: 1.96% Benchmarks Plus: 1.87%	★★★★☆
<u>Emergent Care for Wound Infection, Deteriorating Wound Status</u>	Branch: 0.00% State: 0.93% Benchmarks Plus: 0.92%	Branch: 0.39% State: 0.05% Benchmarks Plus: 0.53%	★★★★★
<u>Emergent Care for Improper Medication Administration or Medication Side Effects</u>	Branch: 1.08% State: 0.41% Benchmarks Plus: 0.30%	Branch: 1.09% State: 0.42% Benchmarks Plus: 0.28%	★★☆☆☆
<u>Emergent Care for Hypo/Hyperglycemia</u>	Branch: 1.08% State: 0.54% Benchmarks Plus: 0.42%	Branch: 0.94% State: 0.61% Benchmarks Plus: 0.56%	★★☆☆☆
<u>Substantial Decline in 3 or More ADLs</u>	Branch: 0.00% State: 0.38% Benchmarks Plus: 0.40%	Branch: 0.05% State: 0.33% Benchmarks Plus: 0.34%	★★★★★
<u>Discharged to Community Needing Wound Care or Medication Assistance</u>	Branch: 0.00% State: 0.02% Benchmarks Plus: 0.03%	Branch: 0.00% State: 0.03% Benchmarks Plus: 0.03%	★★★★★

POTENTIALLY AVOIDABLE EVENTS	Observed	Risk Adjusted	Rating
<u>Discharged to Community Needing Toileting Assistance</u>	Branch: 0.00% State: 0.07% Benchmarks Plus: 0.05%	Branch: 0.05% State: 0.11% Benchmarks Plus: 0.00%	★★★★★
<u>Discharged to Community with Behavioral Problems</u>	Branch: 0.00% State: 0.02% Benchmarks Plus: 0.07%	Branch: 0.04% State: 0.02% Benchmarks Plus: 0.03%	★★★★★
<u>Development of Urinary Tract Infection</u>	Branch: 0.00% State: 0.68% Benchmarks Plus: 1.06%	Branch: 0.09% State: 0.68% Benchmarks Plus: 0.97%	★★★★★
<u>Increase in Number of Pressure Ulcers</u>	Branch: 0.00% State: 0.27% Benchmarks Plus: 0.34%	Branch: 0.00% State: 0.66% Benchmarks Plus: 0.74%	★★★★★
<u>Substantial Decline in Management of Oral Medications</u>	Branch: 0.00% State: 0.14% Benchmarks Plus: 0.50%	Branch: 0.24% State: 0.00% Benchmarks Plus: 0.26%	★★★★★
<u>Discharged to Community with Unhealed Stage II Pressure Ulcer</u>	Branch: 1.61% State: 0.35% Benchmarks Plus: 0.34%	Branch: 1.10% State: 0.76% Benchmarks Plus: 0.86%	★☆☆☆☆

PROCESS MEASURES	Observed	Risk Adjusted	Rating
<u>Timely initiation of care</u>	Branch: 100.00% State: 96.29% Benchmarks Plus: 92.57%	-	★★★★★
<u>Drug education on all medications provided to patient/caregiver during short term episodes of care</u>	Branch: 100.00% State: 86.35% Benchmarks Plus: 88.35%	-	★★★★★
<u>Multifactor fall risk assessment conducted for patients 65 and over</u>	Branch: 84.88% State: 92.70% Benchmarks Plus: 95.32%	-	★☆☆☆☆
<u>Depression assessment conducted</u>	Branch: 100.00% State: 98.95% Benchmarks Plus: 98.55%	-	★★★☆☆
<u>Influenza immunization received for current flu season</u>	Branch: 61.90% State: 59.16% Benchmarks Plus: 66.69%	-	★★★☆☆
<u>Pneumococcal polysaccharide vaccine ever received</u>	Branch: 90.22% State: 59.87% Benchmarks Plus: 67.21%	-	★★★★★
<u>Diabetic foot care and patient/caregiver education implemented during short term episodes of care</u>	Branch: 100.00% State: 92.01% Benchmarks Plus: 93.93%	-	★★★★★
<u>Pain assessment conducted</u>	Branch: 100.00% State: 98.51% Benchmarks Plus: 98.79%	-	★★★★★
<u>Pain interventions implemented during short term episodes of care</u>	Branch: 100.00% State: 97.94% Benchmarks Plus: 98.34%	-	★★★★★
<u>Heart failure symptoms addressed during short term episodes of care</u>	Branch: 100.00% State: 100.00% Benchmarks Plus: 98.89%	-	★★★★★
<u>Pressure ulcer prevention implemented during short term episodes of care</u>	Branch: 100.00% State: 94.99% Benchmarks Plus: 96.90%	-	★★★★★

**Biloxi Branch 1**

<b>PROCESS MEASURES</b>	<b>Observed</b>	<b>Risk Adjusted</b>	<b>Rating</b>
<u>Pressure ulcer prevention in plan of care</u>	Branch: 100.00% State: 98.24% Benchmarks Plus: 98.43%	- - -	★ ★ ★ ★ ★
<u>Pressure ulcer risk assessment conducted</u>	Branch: 100.00% State: 98.87% Benchmarks Plus: 97.99%	- - -	★ ★ ★ ★ ★

**Gulfport Branch 1**

**Gulfport Branch 2**

**Gulfport Branch 3**

**Gulfport Branch 4**

**Gulfport Branch 5**

**Gulfport Branch 6**

**Gulfport Branch 7**